

Programmer Support for Atmel Serial Flash Devices

Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Unisite/Autosite/2900/3900		Minato Programmer: 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT26DF041	MLF	1.5 AP5 SP2	WSON8-303B	1.49	M1-UN-DP48	–	–	–	–	–	–
	SOIC	1.5 AP5 SP2	SOIC16-303B	1.49	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG SM08SHA	7.9	PM220-SOIC	7.1	SDP-UNIV- 20S0/200
AT26F004	SOIC (Wide)	–	–	1.49	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG SM08SHA	7.9 beta	AS-08-08- 03S-3YAM	7.1	SDP-UNIV- 20S0/200
AT26DF081A	SOIC (Narrow)	1.6	SOIC20-303B	1.49	M1-UN-DP48	4.75 beta	ASM0SSJA ASM0SSR ASM16SA	7.9 beta	AS-08-08- 03S-3YAM	7.1	SDP-UNIV- 20S0/200
	SOIC (Wide)	1.6	WSON8-303B	1.49	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG SM08SHA	7.9 beta	PPI-1304	–	–
AT26DF161	MLF	1.6	WSON8-303B	1.49	M1-UN-DP48	–	–	8.0 beta	PPI-1304	–	–
	SOIC	1.6	SOIC20-303B	1.49	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG SM08SHA	8.0 beta	AS-08-08- 03S-3YAM	7.1	SDP-UNIV- 20S0/200
AT26DF161A	SOIC (Wide)	–	–	2.06	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG SM08SHA	8.3	AS-08-08-03S- 3YAM	7.1	SDP-UNIV- 20S0/200
AT26DF321	8-SOIC	–	–	2.06	M1-UN-DP48	4.75 beta	ASM08SG ASM08SHA SM08SG	8.3	AS-08-08-03S- 3YAM	7.1	SDP-UNIV- 20S0/200
	16-SOIC	–	–	2.06	M1-UN-DP48	4.75 beta	ASM16S ASM18S ASM20S	8.3	AS-28-28-03S- 6-GANG	–	–





Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Unisite/Autosite/2900/3900		Minato Programmer: 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DB011B	SOIC	1.2 SP5 AP8	DIP48/ SO200-20- 303B	1.49	M1-UN-DP48	4.28.0	ASM08SB SM08SB SM24S	6.8	SOIC-22	7.1	SDP-UNIV- 20S0/200
	TSSOP	1.2 SP5 AP8	DIP48-305A	1.49	M1-UN-DP48	4.28.0	ASM24TS SM24TS ASM16T SM16T	6.8	PPI-1203	–	–
	CBGA	1.2 SP5 AP8	EBGA25-301A	–	–	–	–	Beta	AS-09-20- 01BG-6- DUAL	–	–
AT45DB021D	MLF	–	–	–	–	–	–	beta 8.6	USPIN-84	–	–
	SOIC (Narrow)	–	–	–	–	–	–	beta 8.6	USPIN-84	–	–
	SOIC (Wide)	–	–	–	–	4.75	ASM08SG ASM08SHA SM08SHB	beta 8.6	USPIN-84	–	–
AT45DB021B (EOL)	8-SOIC	1.2 SP5 AP8	DIP48/ SO200-20- 303B	1.49	M1-UN-DP48	4.28.0	ASM08SB SM08SB SM24S	6.8	SOIC-22	7.1	SDP-UNIV- 20S0/200
	28-SOIC	1.2 SP5 AP8	SOIC28B-301A	1.49	M1-UN-DP48	4.28.0	SM28S SM28SA ASM28SA	6.8	SOIC-35	7.1	SDP-UNIV- 28S0/300
	TSOP	–	–	1.49	M1-UN-DP48	4.28.0	ASM28T SM28T	6.8	PPI-0706	7.1	SDP-UNIV- 28TS
	CBGA	1.3 SP4 AP7	EBGA25 -301A	–	–	–	–	Beta	AS-09-20- 01BG-6- DUAL	–	–

Programmer Support for Atmel Serial Flash Devices

Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Unisite/Autosite/2900/3900		Minato Programmer: 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DB041D	MLF	-	-	2.06	M1-UN-DP48	4.75	ASMR08MLFG FX4ASMR08- MLFG SMR08MLFG	beta 8.5	PPI-1304	-	-
	SOIC (Narrow)	-	-	2.06	M1-UN-DP48	4.75	ASM08SN ASM08SR ASM16SA	beta 8.5	AS-08-08-015-3	7.1	SDP-UNIV- 16S0
	SOIC (Wide)	-	-	2.06	M1-UN-DP48	4.75	ASM08SG ASM08SHA ASM08SHB	beta 8.5	AS-08-08-03S- 3YAM	7.1	SDP-UNIV- 20S0/200
AT45DB041B (EOL)	8-SOIC	1.2 SP5 AP8	DIP48/ SO200-20- 303B	1.49	M1-UN-DP48	4.28.0	ASM08SB SM08SB SM24S	6.8	SOIC-22	7.1	SDP-UNIV- 20S0/200
	28-SOIC	1.2 SP5 AP8	SOIC28B-301A	1.49	M1-UN-DP48	4.28.0	SM28S SM28SA ASM28SA	6.8	SOIC-35	7.1	SDP-UNIV- 28S0/300
	TSOP	-	-	1.49	M1-UN-DP48	4.28.0	ASM28T SM28T SM28TM	6.8	PPI-0706	7.1	SDP-UNIV- 28TS
	CBGA	-	-	-	-	4.33.0	Special Adapter ⁽¹⁾	Beta	AS-14-08- 01BG-3	-	-
	CASON	1.5 AP5 SP2	DIP48/ CASON-301A	1.49	M1-UN-DP48	4.54.0 beta	Special Adapter ⁽¹⁾	-	-	-	-





Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Flash PAK		Minato Programmer 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DB081D	SOIC (Narrow)	1.2 SP5 AP8	SOIC28-B301A	2.06	MI-UN-DP48	–	–	5.11	FP-PAK-S619-S08	7.1	SDP-UNIV-20S0/200
	SOIC (Wide)	–	–	2.06	MI-UN-DP48	4.75	ASM08SG, ASM08SHA, ASM08SHB	5.08	FP-PAK-S100-S08	7.1	SDP-UNIV-20S0/200
	MLF	–	–	–	–	–	–	5.11	FP-PAK-L298-MLP8	–	–
AT45DB081B (EOL)	28-SOIC	1.2 SP5 AP8	SOIC28-B301A	1.49	SOP28 (ADP-AT45DBXX-S)	4.28.0	SM28S SM28SA ASM28SA	6.8	SOIC-35	7.1	SDP-UNIV-20S0/330
	TSOP	–	–	1.49	TSOP28 (ADP-AT45DBXX-TS)	4.28.0	ASM28T SM28T SM28TM	6.8	PPI-0706	7.1	SDP-UNIV-28TS
	CBGA	–	–	–	–	–	–	Beta	AS-14-08-01BG-3	–	–
	CASON	1.5 AP5 SP2	DIP48/ CASON-301A	1.49	CASON8 (CNV-CASON-DIP8)	4.54.0	Special Adapter ⁽¹⁾	Beta	–	–	–
AT45DB161D	MLF	–	–	1.49	ADP-W45B012-SON	4.75	ASMR08MLFG SHR08MLFG	5.15	FP-PAK-L298-MLP8	7.1	SDP-UNIV-20S0/200
	SOIC	–	–	1.49	CNV-SOP-NDIP16B	4.75	ASM08SG ASM08SHA	5.15	FP-PAK-S100-S08	7.1	SDP-UNIV-20S0/200
	TSOP	–	–	1.49	ADP-AT45DBXXTS	4.75	ASM28T SM28T SM28TM	5.15	FP-PAK-TS84-TSOP28	7.1	SDP-UNIV-28TS

Programmer Support for Atmel Serial Flash Devices

Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Flash PAK		Minato Programmer 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DB161B (EOL)	28-SOIC	1.2 SP5 AP8	SOIC28B 301A	1.49	SOP28 (ADP- AT45DBXX-S)	4.28.0	SM28S SM28SA ASM28SA	Use Unisite/3900 Model		7.1	SDP-UNIV- 28S0/330
	TSOP	–	–	1.49	TSOP28 (ADP- AT45DBXX-TS)	4.28.0	ASM28T SM28T SM28TM	Use Unisite/3900 Model		7.1	SDP-UNIV- 28TS
	CBGA	–	–	–	–	–	–	Use Unisite/3900 Model		–	–
	CASON	1.5 AP5 SP2	DIP48/ CASON 301A	WABPP.exe v5.18	CASON8 (CNV-CASON- DIP8)	4.54.0	Special Adapter ⁽¹⁾	5.5	FP-PAK-L251- LAP8	–	–
AT45DB321D	MLF (5 x 6 mm)	1.2 SP5 AP8	SOIC28B 301A	2.06	M1-UN-DP48	4.75	ASMR08MLFG SMR08MLFG	–	–	7.1	–
	MLF (6 x 8 mm)	–	–	2.06	M1-UN-DP48	4.75	ASM08SG ASM08SHA	–	–	7.1	–
	SOIC	1.2 SP5 AP8	TSOP32 301B	2.06	M1-UN-DP48	4.75	SM32TEA SM40TB SM088	5.18	FP-PAK-L251- LAP8 FP-PAK- S100S08	7.1	SDP-UNIV- 20S0/200
	TSOP	–	–	–	M1-UN-DP48	4.54.0	ASM28T SM28T SM28TM	–	–	7.1	SDP-UNIV- 28TS
AT45DB321C (EOL)	TSOP	–	–	1.49	M1-UN-DP48	4.54.0	ASM28T SM28T SM28TM	–	–	7.1	SDP-UNIV- 28TS
	CBGA	–	–	–	M1-UN-DP48	4.54.0	ASM24BGAA SML24BGA	–	–	–	–
	CASON	Beta	DIP48/ CASON 301A	1.49	M1-UN-DP48	4.54.0	Special Adapter ⁽¹⁾	5.11 beta	FP-PAK-L251	7.1	–



Device	Package	Needham's Electronics Programmer: EMP 30/31/300		Hi-Lo Systems Programmer: ALL-100		BP Microsystems Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Data I/O Corp. Programmer: Flash PAK		Minato Programmer 1881XP/UXP	
		Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DB321B (EOL)	28-SOIC	1.2 SP5 AP8	SOIC28B 301A	1.49	M1-UN-DP48	–	–	–	–	7.1	SDP-UNIV- 28SO/330
	TSOP	1.2 SP5 AP8	TSOP32 301B	1.49	M1-UN-DP48	4.28.0	SM32TEA SM40TB SM40TC SM32TC SM56T SM56TB ASM56T ASM40T SM40T ASM48T SM48T ASM32T SM32T ASM32TE SM32TB	5.11	FP-PAK-T310 TSOP32	7.1	SDP-UNIV- 28TS
	CBGA	–	–	–	M1-UN-DP48	4.54.0	ASM45BGA SM45BGA	–	–	–	–
AT45DB642D	CASON	–	–	1.49	CNV-CASON- DIP8	4.75	ASM08CSON CM08CSON SMR08CSON	5.14	FP-PAK-L251- LAP8	–	–
	TSOP	–	–	1.49	ADP-AT45DB- xx-TS	4.75	ASM28T SM28T SM28TM	Use PP100 Model		7.1	SDP-UNIV- 28TS
AT45DB642 (EOL)	TSOP	1.2 SP5 AP8	TSOP40 307B	1.49	TSOP40 (ADP- AT45DB64-TS)	4.28.0	ASM40TA SM48T ASM56T SM40T SM40TB SM40TC SM48T SM56T SM56TB	Use 2900/3900 Model		7.1	SDP-UNIV- 40TS
AT45CS1282 (EOL)	TSOP	1.4 AP5	TSOP48 307B	–	–	4.41.0	ASM40T ASM48T ASM56T SM40T SM40TB SM40TC SM48T SM56T SM56TB	–	–	–	–

Programmer Support for Atmel Serial Flash Devices

Device	Needham's Electronics		Hi-Lo Systems		BP Microsystems		Data I/O Corp.	
	Programmer: EMP 30/31/300		Programmer: ALL-100		Programmer: BP-1400/1600/ 17x0/2x00/3x00/4x00		Programmer: Optima	
	Windows® S/W Ver.	Hardware	Software	Hardware	Windows® S/W Ver.	Hardware	S/W Ver.	Hardware
AT45DCB002D	-	-	2.06	MI-UN-DP48	-	-	5.1	AS-07-28-01DF-6
AT45DCB002 (EOL)	1.3 SP4 AP7	DIP48/ AS-07-28-01DF-6 ⁽²⁾ 305A	2.06	MI-UN-DP48	4.32.0	AS-07-28-01DF-6 ⁽²⁾	5.1	AS-07-28-01DF-6
AT45DCB004D	-	-	2.06	MI-UN-DP48	-	-	5.1	AS-07-28-01DF-6
AT45DCB004C (EOL)	-	-	-	-	-	-	5.1	AS-07-28-01DF-6
AT45DCB004 (EOL)	1.3 SP4 AP7	DIP48/ AS-07-28-01DF-6 ⁽²⁾ 305A	-	-	4.32.0	AS-07-28-01DF-6 ⁽²⁾	-	-
AT45DCB008D	-	-	2.06	MI-UN-DP48	-	-	5.1	AS-07-28-01DF-6
AT45DCB008 (EOL)	1.3 SP4 AP7	DIP48/ AS-07-28-01DF-6 ⁽²⁾ 305A	-	-	4.32.0	AS-07-28-01DF-6 ⁽²⁾	5.1	AS-07-28-01DF-6

- Notes:
1. Please contact BP Microsystems (www.bpmicro.com) for the special adapter.
 2. AS-07-28-01DF-6 (adapter for DataFlash cards) and AS-08-20-01-ML (adapter for CASON package) adapters can be obtained from Emulation Technology (www.emulation.com).



Headquarters

Atmel Corporation

2325 Orchard Parkway
San Jose, CA 95131
USA
Tel: 1(408) 441-0311
Fax: 1(408) 487-2600

International

Atmel Asia

Room 1219
Chinachem Golden Plaza
77 Mody Road Tsimshatsui
East Kowloon
Hong Kong
Tel: (852) 2721-9778
Fax: (852) 2722-1369

Atmel Europe

Le Krebs
8, Rue Jean-Pierre Timbaud
BP 309
78054 Saint-Quentin-en-Yvelines Cedex
France
Tel: (33) 1-30-60-70-00
Fax: (33) 1-30-60-71-11

Atmel Japan

9F, Tonetsu Shinkawa Bldg.
1-24-8 Shinkawa
Chuo-ku, Tokyo 104-0033
Japan
Tel: (81) 3-3523-3551
Fax: (81) 3-3523-7581

Product Contact

Web Site

www.atmel.com

Technical Support

DataFlash@atmel.com

Sales Contact

www.atmel.com/contacts

Literature Requests

www.atmel.com/literature

Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. **EXCEPT AS SET FORTH IN ATMEL'S TERMS AND CONDITIONS OF SALE LOCATED ON ATMEL'S WEB SITE, ATMEL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.** Atmel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not suitable for, and shall not be used in, automotive applications. Atmel's products are not intended, authorized, or warranted for use as components in applications intended to support or sustain life.

© 2008 Atmel Corporation. All rights reserved. Atmel®, logo and combinations thereof, Everywhere You Are®, DataFlash® and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries. Other terms and product names may be trademarks of others.